



G-BOND

DESCRIPTION

G-BOND is a range of thermo-reactive open glass scrim, used for the stabilization of grooved foam or balsa (core materials).

ADVANTAGES

- The construction of **G-BOND** provides a flat and thin material. In addition, due to its glass content, **G-BOND** brings dimensional stability to the core material.

G-BOND offers a range of products specially designed for the different types of cores available on the market such as Balsa wood, PVC, PET.

- Cohesion of our thermo-reactive range has been tested in our laboratory to achieve customer requirements.

APPLICATIONS



- Its glass construction together with its thermo-adhesives allows **G-BOND** to be used with any composite sandwiched structures in a large range of applications in the following market segments: windmill, marine, transportations.

This product has been particularly designed for the infusion process.

RANGE

PRODUCT	TOTAL WEIGHT	CORE MATERIAL	HOW TO USE		
			HEATING T	PRESSURE TIME (S)	PRESSURE(GAP)
G-BOND 60P 27THC	86	PVC/BALSA	160+/-20	6 - 12	0.2mm less than core material thickness
G-BOND 60P 40THC	89	PVC/BALSA	160+/-20	6 - 12	0.2mm less than core material thickness
G-BOND 52P 25THCM	77	PVC/PET/ SAN	130+/-10	3 - 10	0.2mm less than core material thickness
G-BOND 52P 25THCM3	77	BALSA	150+/-10	3 - 10	0.2mm less than core material thickness

Indicative value





G-BOND

PACKAGING

Standard width: 122 cm (other widths are available upon request).

Roll lengths: 1000 lm.


Packaging requirements:

- Each roll is wrapped in a plastic film
- Each pallet (110 x 110 cm) holds 8 rolls

STORAGE & HANDLING

Shelf life is a maximum of 6 months when stored in a dry place at 25°C and in a clean environment.. Avoid contaminating the product with dust particles, since the dust will diminish the performance of the adhesion.

G-BOND: Your sandwich reinforcement solution



CHOMARAT

www.chomarats.com

CHOMARAT Textiles Industries

39 avenue de Chabannes
07160 Le Cheylard
FRANCE

Phone: +33 4 75 29 81 00

CHOMARAT North Africa

ZI de Grombalia
8030 Grombalia
TUNISIA

Phone: +216 722 55 412

CHOMARAT North America

160 Alliance Boulevard
Williamston, SC 29697
USA

Phone: +1-864-965-9497

CHOMARAT Engineered Textiles

36 Qingdao East Road - Taicang
215400, Jiangsu Province
PRC

Phone: +86 512 53737001